
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Southwick Murseries, SPRING, 1902, 6239 Dup

Wholesale Trade-List

.. OF ..

SOUTHWICK NURSERIES

双

Deciduous and Evergreen Trees and Shrubs Hardy Ferns and Flowers Bog Plants and Orchids

双

EDWARD GILLETT

Southwick, Mass., U. S. A.

Edward Gillett's Wholesale Trade=List

SOUTHWICK, MASS., U. S. A.

LOCATION.

I am situated on the line of the New Haven & Northampton division of the N. Y., N. H. & H. R. R., 5 miles south of Westfield, Mass., junction of the Boston & Albany R. R.; 100 miles west of Boston, and 100 miles north of New York.

Goods by express reach New York or Boston within five hours after shipment, and the cost of carriage to all points from here is comparatively light. Freight goes through to New York without change.

TERMS.

Prices are in American money. Six at dozen rates, 50 at 100 rates, 500 at 1,000 rates. Packing at cost.

One dollar is equal in value to a trifle more than four English shillings, four

German marks, or five francs.

All bills will be due upon receipt of goods, unless by special agreements. Unknown parties should give good references.

Remit by draft on New York, or by Post Office Order on Southwick, Mass. Foreign Remittances by International Post Office Orders on Westfield, Mass.

The packing season commences as soon as the plants can be got at in spring, about April 10, and lasts about six weeks, and in autumn as soon as the plants are ripe, mostly from September until December.

Address all communications to

EDWARD GILLETT,

SOUTHWICK, MASS., U. S. A.

CONTENTS

																		Pa	
Deciduous																			
Evergreen	Trees a	and	Shr	ubs	 		 						 				 		7
Vines and	Creeper	rs			 		 									0			8
Herbaceou	s Peren	nial	S		 					 									8
Bog and A	quatic	Plan	its .		 					 	 	٠	 				,		13
Orchids					 						 		 						14
Ferns					 				0 "		 		 		 		2 0		14
Club Mosse																			
Special Co	llection	of]	Fern	S	 			 		 	 •		 						16

Massachusetts Agricultural College

HATCH EXPERIMENT STATION, AMHERST, MASS.

To wbom it may Concern:

THIS IS TO CERTIFY. That I have, this 3d day of September, 1901, completed the inspection of the nursery stock of EDWARD GILLETT, grown at Southwick. State of Massachusetts, and find it to be apparently free from the San José scale and other injurious insects and diseases which might be transferred on nursery stock from the nursery to the orchard or garden.

This certificate is good until July 1, 1902.

(Signed)

H. T. FERNALD, Inspector.

Deciduous Trees and Shrubs

Nursery-grown stock, except where noted. Coll. signifies collected plants

ACER Pennsylvanicum (Striped Maple)—	12		100		1,000
ı ft					2,000
2 to 4 ft. Coll		75	\$4		
rubrum. 3 to 5 ft. Coll	1	00	4	00	
saccharinum (Sugar Maple)—					
5 to 6 ft		_			
10 to 12 ft		_			
spicatum (Mountain Maple). 1½ to 2 ft	1	25	5	00	
ALTHÆA (Shrubby Hibiscus, or Rose of Sharon)—					
purpurea variegata. Double, purple-flowered,					
and variegated foliage; 11/2 ft	1	00			
rubra plena. Double, clear red-flowered; 1½ ft.	1	00			
totus albus. Single, pure white-flowered; 1 ½ ft.	I	00			
speciosa. Double, purple-flowered; 1½ ft	I	00			
AMELANCHIER Canadensis (Shadbush)—					
2 to 5 ft. Coll		00		00	
1½ to 2 ft		25		00	
2 to 2½ ft		00	10		
AMORPHA fruticosa (False Indigo). 5 ft	I	25	6	00	
ARALIA pentaphylla. 1 to 11/2 ft	1	50			
AZALEA arborescens—					
8 to 12 in			10	00	
I to 1½ ft	2	50	15	00	
calendulacea (Flame-Colored Azalea)—					
8 to 12 in		-		00	
I to 1½ ft			12		
mollis. 8 in	I	25	5	00	
nudiflora (Purple Azalea)—		lates 1			
ı ft			_	00	
				00	
Pontica. I ft.	I	25	р	00	
Vaseyi. Light pink—			_		
6 to 12 in.; good plants 1 to 1½ ft.; well budded			10	00	
viscosa—	4	00	10	00	
ı ft	т	2.5	6	00	
I to I½ ft.; well budded		50	-	00	
BERBERIS purpurea (Purple Barberry). 2½ to 3 ft		25		00	
Thunbergi—	-	- 5			
1 to 1½ ft	I	00	- 5	00	
1½ to 2 ft			_	00	
2 to 2½ ft		50	10		
vulgaris. 1½ to 2 ft	I	25	6	00	
BETULA papyracea (Paper, or Canoe Birch)—					
1½ to 2 ft			5	00	
2 to 3 ft	I	25	7	00	
lenta (Yellow Birch). I ft		75			
alba populifolia (American White Birch). 2 to					
3 ft. Coll			3	00	
CEANOTHUS Americanus (New Jersey Tea)	I	00	5	00	

	7	2	100	1,000
CELTIS occidentalis (Hackberry). 3 to 4 ft			\$8 00	1,000
CEPHALANTHUS occidentalis (Button Bush). I to 11/2 ft.			5 00	
CERCIS Canadensis (American Judas Tree). 3 to 4 ft.; fine			8 00	
CHESTNUT, American. 2 to 21/2 ft			6 00	
CLETHRA alnifolia (Sweet Pepper Bush)—		-5		
I ft		75	3 00	
1½ to 2 ft	1		5 00	
COMPTONIA asplenifolia (Sweet Fern). Coll		50	3 00	\$15 00
CORNUS alternifolia—				
I to I ½ ft	I	25	5 00	
2 to 4 ft. Good roots, Coll			4 00	
circinata. 2 to 3 ft. Coll			4 00	
florida. I to 1½ ft			5 00	
Mas (Cornelian Cherry). 2 ft	I	00	5 00	
			-	
1½ to 2 ft			6 00	
2 to 2½ ftsericea—	1	50	8 00	
r to 1½ ft		75	3 00	
2 ft	Т	75	5 00	
4 ft.; very bushy		50	8 00	
stolonifera —				
2 to 3 ft	I	00	5 00	
3 to 4 ft	1	25	6 00	
CORYLUS Americanus (Wild Hazelnut). 2 to 3 ft. Coll.		75	4 00	
CRATÆGUS coccinea. 4 ft	2	00		
CYDONIA Japonica. 1 to 1 1/2 ft	I	25	6 00	
DEUTZIA crenata. 2 ft.; bushy			5 00	
DIERVILLA trifida (Bush Honeysuckle). 1 to 11/2 ft			5 00	
DIRCA palustrus (Leatherwood). 1 ft. Coll		75	4 00	
EUONYMUS Americanus, var. obovatus	т	00		
atropurpurea (Burning Bush). 1 ft.	-	75	3 00	
1 to 1½ ft	I		3 00	
radicans. 8 to 12 in.; 2 yrs			5 00	
variegata. Golden-striped leaves;				
8 to 12 in	I	00	4 00	
FAGUS purpurea (Purple Beech). 6 to 7 ft., stocky, XX.				
Each, \$1				
FORSYTHIA viridissima. 4 ft	I	25	5 00	
GAYLUSSACIA resinosa (Black Huckleberry)—				
8 to 12 in			5 00	
ı ft. Coll.		50	3 00	
HAMAMELIS Virginica (Witch-hazel)—				
1 ft		75	3 00	
2 to 3 ft			8 00	
HYDRANGEA arborescens (Wild Hydrangea). 2½ to 3 ft			6 00	
radiata. 1½ ft			4 00	
paniculata grandiflora. 3 ft.; fine	T	50	4 00	
ILEX verticillata —		30		
2 to 3 ft.; good roots. Coll.		75	4 00	\$20 00
1 to 1½ ft		75	4 00	
1½ to 2 ft., X		25	6 00	
2 to 3 ft., XX	2	00		

50011141614 1111651161161161161	***	* 000
JUGLANS nigra (Black Walnut). 2 ft.; seedlings\$0 50	\$2 50	1,000
LAURUS Benzoin (Spruce Bush). 1½ to 2 ft	6 00	
LIGUSTRUM ovalifolium (California Privet)—		
1 to 1½ ft 50	2 00	
2 ft 75	3 00	
vulgare (Common Privet). 1½ to 2 ft 75	3 00	
Ibota. 2½ ft	4 00	
LIRIODENDRON tulipifera (Tulip-tree). 4 to 5 ft 1 50		
LONICERA ciliata (Fly Honeysuckle). 1 ft 1 25		
oblongifolia. 2 ft.; good roots 1 25		
MYRICA cerifera (Bayberry) —		
Seedlings	2 00	\$12 00
8 to 12 in. Trans 1 25	5 00	
gale (Sweet Gale). I ft., X I oo	5 00	
NEMOPANTHES Canadensis (Mountain Holly) — 1 to 1½ ft. Coll 1 oo	4 00	
8 to 12 in., cut back 1 25		
PHILADELPHUS coronarius (Mock Orange). 2 to 2½ ft. 75		
grandiflorus. 2 to 2½ ft 75		
POTENTILLA fruticosa. 1½ to 2 ft		
PRUNUS pumila (Dwarf Cherry). 1 to 2 ft 1 oc		
maritima (Beech Plum). I to I 1/2 ft I oo		
PYRUS arbutifolius. 1 ft 75		
malus floribunda. 4 ft		
QUERCUS alba (White Oak). 2 to 3 ft.; trans		
bicolor (Swamp White Oak). 4 ft.; trans 2 50		
coccinea (Scarlet Oak). 3 to 4 ft.; trans 2 50		
nigra (Black Jack). 1½ ft.; trans		75.00
palustris (Pin Oak). 6 to 10 in.; seedling 40		15 00
prinus (Chestnut Oak). 4 to 6 ft		
rubra (Red Oak). 4 to 6 ft.; trans 2 50		
RHAMNUS alnifolius. 1 to 2 ft. Coll 1 oo		
RHODORA Canadensis. 1 ft., XX		
RHUS aromatica (Fragrant Sumach). 8 in.; seedlings 75		
cotinus. 2 ft 1 25		
copallina (Dwarf Sumach). 1 ft. Coll 1 oc		15 00
glabra (Smooth Sumach). 2 to 4 ft. Coll 1 oo	3 00	15 00
typhina (Common Staghorn Sumach). 2 to 4 ft.	0.00	** 00
Coll	-	15 00
RIBES cynosbati (Wild Gooseberry). 2 ft.; fine 1 25	5 00	
aureum. 2 ft		
floridum (Wild Black Currant). 2 to 3 ft 1 25		
prostratum (Fetid Currant). 1 ft. Coll 1 oc		
ROSA blanda (Early Wild Rose). I to 2 ft 1 25		
Carolina (Swamp Rose). 2 ft.; fine. Coll 1 oo		25 00
cinnamomea. I ft I oo	4 00	
lucida (Dwarf Wild Rose). 1 to 2 ft 1 25		
multiflora. I to 2 ft 50		
rugosa. 1 to 1½ ft 1 25	5 00	

ROSA WICHURAIANA HYBRIDS

, \$1.25 per dozen

Manda's Triumph. Double white. Very | South Orange Perfection. Double white pretty.

and pink.

Universal Favorite. Double pink.

Pink Roamer. Single pink.

ROSA rugosa alba. 1 ft	12	\$5 00	1,000
Crimson Rambler. Fine plants, 2 years		43	
White Rambler (Thalia). Double white			
Yellow Rambler (Aglaia). Double yellow			
Pink Rambler (Euphrosyne)		N. Lill	
rubiginosa (English Sweetbrier). 1½ to 2 ft		4 00	
setigera (Prairie Rose). 1 to 1½ ft		4 00	
Wichuraiana (New Hardy Creeping Rose). 1 ft	-	5 00	
RUBUS odoratus (Flowering Raspberry). 2 to 3 ft		5 00	
deliciosus. I to 2 ft.; pure white flowers	1 25	5 00	
occidentalis (Black Raspberry). Coll	75	3 00	
strigosus (Red Raspberry). 2 to 3 ft. Coll	75	3 00	
villosus (High Blackberry). 2 to 3 ft. Coll	I 00		
SALIX vitellina aurea (Golden-Barked Willow)	I 00		
vitellina Britzensis (Red-Barked Willow)	I 00		
SAMBUCUS Canadensis (Common Elder). 3 to 4 ft	I 50	6 00	
pubens (Red-Berried Elder). 2 to 3 ft. Coll.		4 00	
SPIRÆA Anthony Waterer. 8 to 12 in		5 00	
argentea. 2 ft., bushy	I 25	5 00	
opulifolia. 1½ to 2 ft	75	3 00	
salicifolia. Flesh-colored. 2 to 3 ft	I 00	4 00	
Thunbergii. 1½ to 2 ft	1 25	5 00	
tomentosa (Steeple Bush). 2 ft		4 00	
tomentosa aurea. I to 2 ft		5 00	
Van Houttei. I to 1½ ft	1 00	4 00	
STAPHYLEA trifolia (Bladder Nut). 2 to 3 ft	I 25		
SYMPHORICARPUS racemosus, var. pauciflorus (Dwarf			
Snowberry). Nice plants	1 00	4 00	
vulgaris (Indian Currant). 1 ft	75	3 00	
SYRINGA Japonica. 2 ftvulgaris. 1½ ft	1 25		
alba. I ft	75		
President Grey. 1 ft	1 00		
VACCINIUM Pennsylvanicum (Dwarf Blueberry). X, Coll.	1 00	4 00	
vacillans (Low Blueberry). Yellow bark	I 25	5 00	
stramineum (Deerberry). 1 ft	1 25	5 00	
corymbosum (Swamp Blueberry) —			
r ft		5 00	
r to 1½ ft., X; bushy			
1½ to 2 ft XX	7 00		
2 to 3 ft., XXX\$1 each			
The last three grades are fine bushy			
clumps, with a good ball of earth attached.			
attached.			

12	100	1,000
VIBURNUM acerifolium (Maple-Leaved Viburnum). 1 ft. \$1 25	\$5 00	
cassinoides —		
I ft., X	5 00	
dentatum—	3 00	
2 ft I 50	7 00	
2 to 3 ft 2 00	10 00	
lantana (Wayfaring Tree). 1 to 2 ft 1 00	5 00	
lantanoides (Hobble Bush). 1 to 3 ft. Coll. 1 00	4 00	
Lentago (Sheepberry) —		
2 to 3 ft. Coll I 00	4 00	
I to I ½ ft I 25	6 00	
2 to 3 ft., XX	10 00	
Opulus (Cranberry Tree). 3 ft 1 50	7 00	
sterilis (Snowball Tree). 1 to 1½ ft. 1 25	* 00	
pubescens (Downy Arrow-wood). 1 ft 1 00	5 00	
prunifolium. 1 to 2 ft. Coll 1 00	4 00	
VITIS cordifolia (Frost Grape). 1 to 1½ ft 1 00	4 00	
Labrusca. From seed bed 50	2 00	
Evergreen Trees and Sh	rub	S
122	100	1,000
ABIES Englemanni. 2 ft.; extra fine color\$3 50		
excelsa (Norway Spruce). 3 to 4 ft		
Canadensis (Hemlock)—		
r ft. Coll.	2 00	
1 to 1½ ft	5 00	
nigra (Black Spruce). I to 2 ft. Coll 75	3 00	
ANDROMEDA polifolia. 1 ft.; wet places. Coll 50	2 00	\$12 00
CASSANDRA calyculata (Leather Leaf). 1 to 2 ft. Coll. 50	2 00	12 00
JUNIPERUS communis (Prostrate Juniper). 1 ft. Coll. 1 00	2 00	11 00
Virginiana (Red Cedar). 1 ft. Coll 1 00		
KALMIA angustifolia (Sheep Laurel). 1 ft. Coll 75	3 00	15 00
glauca (Pale Laurel). 1 ft 1 00	5 00	
latifolia (Mountain Laurel)—		
8 to 12 in 1 50	10 00	
12 to 18 in., X	25 00	
2 to 3 ft., XXXeach, \$1.50	50 00	
The last three grades are nice, bushy plants,		
and of blooming size, lifted with a good ball of		
earth attached.		
LEDUM latifolium (Labrador Tea). 1 ft 1 25	5 00	
LEUCOTHOË Catesbæi, 1 ft 1 25	5 00	
MAHONIA aquifolia. 1 ft 1 25	* 00	
	5 00	
RETINOSPORA ericoides. 1½ to 2 ft 3 00	5 00	
RETINOSPORA ericoides. 1½ to 2 ft 3 00 plumosa—	5 00	
RETINOSPORA ericoides. 1½ to 2 ft. 3 00 plumosa— 1½ to 2 ft. 2 50	5 00	
RETINOSPORA ericoides. 1½ to 2 ft. 3 00 plumosa— 1½ to 2 ft. 2 50 4 to 5 ft. 5 00	5 00	
RETINOSPORA ericoides. 1½ to 2 ft. 3 00 plumosa— 1½ to 2 ft. 2 50	5 00	

6 EDWARD GILLETT'S WHOLESALE TRADE-L	15 1	
RHODODENDRON maximum (Great Laurel)—	100	1,000
9 to 12 in\$1 25		
I to 1½ ft.; strong 2 50		
Bloom buds; 1½ to 2 ft 5 00		
punctatum. 2 to 3 ft.; bloom buds 3 oo		
My Rhododendron maximum is of fine grade,		
with a mass of fibrous roots.		
TAXUS Canadensis (American Yew)—		
8 to 12 in 1 00	\$5 00	
1 to 2 ft. Coll	3 00	\$20 00
THUYA occidentalis (Arborvitæ). 5 to 6 ft 3 oo		
Ellwangeriana. I to 1½ ft.; strong I 50		
Vinos and Croaners		
Vines and Creepers		
12	100	1,000
AMPELOPSIS quinquesolia (Virginia Creeper). 1-2 ft.	100	1,000
AMPELOPSIS quinquefolia (Virginia Creeper). 1-2 ft. Coll\$1 00	\$4 00	1,000
AMPELOPSIS quinquefolia (Virginia Creeper). 1-2 ft. Coll. \$1 00 BIGNONIA radicans(Trumpet Creeper). Field-grown 1 00	\$4 00 5 00	
AMPELOPSIS quinquefolia (Virginia Creeper). 1-2 ft. Coll	\$4 00 5 00 4 00	\$15 00
AMPELOPSIS quinquefolia (Virginia Creeper). 1-2 ft. Coll \$1 00 BIGNONIA radicans(Trumpet Creeper). Field-grown 1 00 CELASTRUS scandens (Bitter Sweet). 1 to 2 ft. Coll 75 CLEMATIS coccinea (Scarlet Clematis). Fine, strong 1 25	\$4 00 5 00 4 00 6 00	
AMPELOPSIS quinquefolia (Virginia Creeper). 1-2 ft. Coll	\$4 00 5 00 4 00	
AMPELOPSIS quinquefolia (Virginia Creeper). 1-2 ft. Coll	\$4 00 5 00 4 00 6 00 6 00	
AMPELOPSIS quinquefolia (Virginia Creeper). 1-2 ft. Coll	\$4 00 5 00 4 00 6 00 6 00	
AMPELOPSIS quinquefolia (Virginia Creeper). 1-2 ft. Coll	\$4 00 5 00 4 00 6 00 6 00	
AMPELOPSIS quinquefolia (Virginia Creeper). 1-2 ft. Coll	\$4 00 5 00 4 00 6 00 6 00 4 00 5 00	
AMPELOPSIS quinquefolia (Virginia Creeper). 1-2 ft. Coll. \$1 00 BIGNONIA radicans(Trumpet Creeper). Field-grown 1 00 CELASTRUS scandens (Bitter Sweet). 1 to 2 ft. Coll. 75 CLEMATIS coccinea (Scarlet Clematis). Fine, strong 1 25 crispa. Strong, bluish purple flowers 1 25 paniculata. Pure white flowers; strong plants. 1 25 Virginiana (Virgin's Bower). Strong. Coll. 1 00 LONICERA brachypoda. 2 ft.; strong 1 00 brachypoda aurea. 1 ft. 1 25 MENISPERMUM Canadense (Canadian Moonseed). Coll. 1 00	\$4 00 5 00 4 00 6 00 6 00 4 00 5 00	\$15 00
AMPELOPSIS quinquefolia (Virginia Creeper). 1-2 ft. Coll	\$4 00 5 00 4 00 6 00 6 00 4 00 5 00	

Herbaceous Perennials

For the most part in the following list of Hardy Herbaceous Perennials, I offer nursery-grown plants. Yet some of the North American Wild Flowers are collected in their native habitat; they are, as a rule, easily transplanted.

Collected stock is marked Coll. 1 yr.—1 year in nursery.

	12	100	1,000
ACHILLEA millefolium roseum\$0	50	\$3 00	
The Pearl. Pure white	75	4 00	
ACTÆA alba (White Baneberry). Coll		4 00	
rubra (Red Baneberry). Nice plants. Coll	75	4 00	
ALYSSUM rostratum. 2 yrs. Yellow; June I	00	5 00	
saxatile compactum—			
ı yr	50	3 00	
2 yrs I	00	5 00	
AMARYLLIS Atamasco, Coll		3 00	
formosissima (Jacobæan Lily). Fire red 1	00	4 00	
ANEMONE nemorosa. Flowers white. Coll	50	3 00	\$15 00
Pennsylvanica. Large white flowers	50	3 00	
Japonica, "Whirlwind." Double, white. 1 yr. 1			
ANTHEMIS tinctoria (Golden Marguerite). 2 yrs. June			
and July I	00	5 00	
APIOS tuberosa (Wild Bean). Purple flowers. Coll	25	I 00	8 00

SOUTHWICK, MASSACHUSETTS, U. S.	. A.		3
	12	100	1,000
AQUILEGIA alpina. 1 to 2 ft.; flowers blue. 2 yrs\$	1 25	\$5 00	
cœrulea. 1 yr		4 00	
chrysantha. Large yellow. 1 yr	00	4 00	
chrysantha alba. White	1 25		
vulgaris. 2 yrs	1 25		
Canadensis. Red and yellow. Coll	50	3 00	
ARISÆMA triphyllum (Wild Turnip)	50	3 00	
ARISTOLOCHIA serpentaria	75	4 00	
ASARUM Canadensis (Wild Ginger). Purple flowers	50	3 00	\$15 00
ASCLEPIAS incarnata. Flowers purple, showy. Coll	50	3 00	# · J
tuberosa—	5-	3	
I yr	50	3 00	
2 yrs	75	4 00	
ASTER ericoides. Flowers white, on wand-like stems.	, ,		
Coll	75	4 00	15 00
lævis. Large dark blue flowers. Coll.	75	4 00	3
multiflorus. Small white flowers; fine. Coll	75	4 00	15 00
Novæ Angliæ (N. E. Aster). Large purple flowers.	75	4 00	- 3
patens. Flowers deep purple; low-growing. Coll.	75	4 00	
CALLIRRHOË involucrata. Flowers large, crimson; fine.			
Cusickii. 2 ft.; light blue, large bulbs	75 I 50	4 00	
· · · · · · · · · · · · · · · · · · ·		f 00	
CAMPANULA Carpatica. 2 yrs	1 00	5 00	
Carpatica alba. 2 yrs		5 00	
medium (Canterbury Bells). 1 yr	75	3 00	
medium, white, single. 1 yr	75	3 00	
medium, Double mixed. 1 yr	75	I 00	
calycanthema (Cup and Saucer)	75	3 00	
pyramidalis. 2 yrs		5 00	
pyramidalis alba. 2 yrs		5 00	
rotundifolia (Harebell)	75	4 00	
Van Houttei. Deep blue. 2 yrs.; fine		5 00	
CASSIA Marilandica (American Senna). 3 ft., yellow X		4 00	
CAULOPHYLLUM thalictroides (Blue Cohosh)	75	4 00	
CHELONE glabra (Snake-Head). White flowers. Coll	75	4 00	
CIMICIFUGA racemosa (Black Snakeroot). White flowers.	75	4 00	
CLAYTONIA Virginica (Spring Beauty). Coll	50	3 00	
CONVALLARIA majalis (Lily-of-the-Valley)	1 00	4 00	
majalis. Large fine clumps	2 50	10 00	
COPTIS trifolia (Goldthread). Small white flowers	75	3 00	
COREOPSIS lanceolata. 2 yrs	1 00	5 00	
CORNUS Canadensis (Dwarf Cornel). Fine clumps. Coll.		5 00	
DELPHINIUM grandiflorum (Larkspur). Low growing,	,		
very beautiful. 1 yr	50	3 00	
grandiflorum album. 2 yrs	75	4 00	
	1 00	5 00	

"MIELLEZ'S REVELATION" IN LILY-OF-THE-VALLEY

It is of extraordinary size and vigor, of the most exquisite fragrance, and does well under all conditions and in all sorts of soils, growing just as well in full sun as partial shade. It is extremely hardy, and while not increasing quite as fast as the common kinds, is still of good increase. It is well to cover it in December with a good coat of barnyard manure—cow or horse—green is just as good as old. Leave it in the spring to serve as mulch. The Massachusetts Horticultural Society awarded it a "First Class Certificate of Merit" on May 22, 1897. \$1 per dozen, \$5 per 100.

,	12	****	1,000
DENTARIA diphylla (Pepper-Root)	50	\$3 00	1,000
maxima. Pretty little pink flowers. Coll	75	4 00	
laciniata. Flowers pale purple	75	4 00	
DIANTHUS barbatus (Sweet William). 1 yr	75	4 00	
barbatus fl. pl. 1 yr	75	4 00	
Napoleon III. Bright crimson. 1 yr	75	4 00	
plumarius. 2 yrs.		5 00	
plumarius, Double pink. Fine. 1 yr plumarius, Single pink. 1 yr	75		
Her Majesty. 1 yr.	75 75	4 00	
Mrs. Simkins. 1 yr	75	4 00	
DICENTRA eximia. Beautiful flowers. Large. 1 yr		5 00	
DIGITALIS purpurea (Foxglove). 1 yr	75	4 00	
DODECATHEON Meadia (Shooting Star). Fine plants	I 00	5 00	
TATTITI AND I	25	5 00	
	00	5 00	
ERYNGIUM yuccifolium (Button Snakeroot). 2 ft		5 00	
ERYTHRONIUM Americanum (Dog's Tooth Violet). Bright	. 00	3 00	
yellow flowers, large bulbs	75	4 00	
EUPATORIUM ageratoides (White Snakeroot). Fine			815 00
EUPHORBIA corollata (Flowering Spurge). Fine, white	75	3 00	\$15 00
	50	3 00	15 00
GAILLARDIA grandiflora. 1 yr	75	3 00	
GALAX aphylla. Evergreen; tinted leaves; white flowers.		5 00	
GAULTHERIA procumbens (Wintergreen). Clumps. Coll.	00	4 00	
GENTIANA Andrewsii (Closed Gentian). Dark blue		4 00	
	1 00	5 00	
GERANIUM maculatum (Crane's Bill). Coll	50	3 00	
GYPSOPHILA paniculata. 1 yr	75	3 00	
HELIANTHUS decapetalus. 3 to 5 ft.; bright yellow flowers.	75		
HEPATICA triloba. Round-leaved; flowers early. Coll.		4 00	
HEUCHERA sanguinea. Fire-red; large. 1 yr		4 00	
HIBISCUS Moscheutos rosea. Flowers large, rose-colored.	. 00	4 00	
I yr	75	4 00	
Crimson Eye. Flowers pure white; crimson	/ 3	4	
eye. I yr	75	4 00	
HOLLYHOCKS, Double. Pink, canary yellow, crimson,			
white and salmon. I yr	1 00	4 00	
HOUSTONIA cœrulea (Bluets). White and purple; tufts.			
Coll	25	2 00	10 00
purpurea. Waxy white flowers; clumps	75	4 00	
HYACINTHUS candicans. Large bulbs	50	2 00	
HYDRASTIS Canadensis (Orange Root). Rare	75	4 00	
IRIS cristata. Light blue flowers, 6 in	75	3 00	10 00
pumila (Dwarf Iris). Purple flowers; early; 3 to		2.00	
6 in. 2 yrspumila alba. 2 yrs	75	3 00	
pumila alba. 2 yrspumila azurea. Blue. 2 yrs	75 75	3 00	
pumila sulphurea. 2 yrs	75	3 00	
Pseud-acorus. 2 yrs	1 00	4 00	
Siberica. Dark blue or white. 1 to 3 ft.	75	3 00	
verna. Crested yellow; low-growing	50	3 00	15.00
versicolor. Large, blue flowers. 1 to 2 ft. Coll	50	3 00	15 00

SOUTHWICK, WASSACHOSET 15, 0. 5. 11.		2.2
12	100	1,000
IRIS Virginica. Slender; flowers blue and white. 1 ft. \$0 50	\$3 00	
Germanica (German Iris). In mixed colors; clumps. 40	1 50	
Kæmpferi (Japan Iris). Mixed colors; clumps 75	4 00	
LATHYRUS latifolius. 2 yrs 1 25		
latifolius alba. 2 yrs 1 25		
LEWISIA rediviva (Spatlum). Large pink or white		
flowers	4 00	
LIATRIS graminifolia. Coll	4 00	
pycnostachya (Kansas Gay Feather). Fine 1 00	4 00	#
scariosa (Button Snakeroot). 2 to 5 ft 75	3 00	\$15 00
spicata (Spiked Blazing Star) 75	3 00	
LILIUM auratum. Home-grown	5 00	
chalcedonicum. Scarlet 3 00		
Brownii		
elegans	5 00	
Canadense. Nice bulbs	4 00	
Canadense, var. flavum. Yellow flowers 1 00	5 00	
Canadense, var. rubrum. Red flowers 1 00	5 00	
Humboldtii. 3 to 6 ft. Reddish orange flowers. 2 oo	12 00	
Martagon 1 25	5 00	
Pomponium rubrum 2 00		
Philadelphicum (Wild Orange-Red Lily)	4 00	
superbum. Tall, 4 to 8 ft. Many flowers 50	3 00	
LOBELIA cardinalis (Cardinal Flower). Flowers red. Coll. 75	3 00	10 00
syphilitica (Great Blue Lobelia). Fine plants 75	3 00	
LUPINUS perennis (Wild Lupine). Coll 50	3 00	15 00
	_	15 00
LYCHNIS Haageana. Scarlet. 2 yrs	4 00	
chalcedonica. 2 yrs 1 00	4 00	
viscaria splendens (Ragged Robin). 2 yrs 1 00	4 00	
LYTHRUM roseum superbum. 2 yrs	3 00	
LYSIMACHIA nummularia (Creeping Jenny). Coll 25	2 00	8 00
MERTENSIA Virginica (Virginia Cowslip). Established. 1 00	5 00	*
SECONDETENT A COLUMN CO	_	25 00
	4 00	25 00
MITELLA diphylla (Bishop's Cap). Nice for rockery 50	3 00	
MONARDA didyma. Bright red flowers 1 00	4 00	
MYOSOTIS palustris (Forget Me-Not) 50	3 00	
NARCISSUS Poeticus (Poet's Narcissus). Fine bulbs 50	3 00	10 00
OXALIS acetosella. White flowers, purple veins 50	3 00	
violacea. Flowers pink; fine dark foliage 50	3 00	
PARNASSIA Caroliniana. Large white flowers. Coll 50	3 00	15 00
PHLOX maculata (Wild Sweet William) 50	3 00	
subulata (Moss Pink)	4 00	
subulata alba (pure white)	4 00	
PHLOX, HYBRID. Can supply the following Hardy Phlox		
in good flowering clumps, mixed: Miss Lingard; curly		
white, with lavender eye. Lothair; brilliant salmon,		
cardinal eye. La Pole Nord; pure white, crimson		
eye. Concours; rosy carmine, fire-colored center.		
Independence; pure white 1 00	4 00	
and point one of pure winter	4 00	

PANSY PLANTS

20 cts. per doz., \$1 per 100, \$7 per 1,000

Transplanted and grown in open ground in nursery rows. Extra fine strain in mixed colors.

PODOPHYLLUM peltatum (Mandrake)\$0 75	\$4 00	000,1
POLYGALA paucifolia (Fringed Polygala). Coll. clumps. 1 00	- '	
PYRETHRUM uliginosum (Great Ox-Eye Daisy) 1 00	4 00	
roseum hybridum 1 00	4 00	
RHEXIA Virginica (Meadow Beauty)	3 00	
RUDBECKIA lanceolata (Golden Glow). 2 yrs 1 25	5 00	
SANGUINARIA Canadensis (Blood Root). Coll 50	3 00	
SEDUM acre. Yellow flowers 50	2 00	
SHORTIA galacifolia 1 25		
SILENE Virginica (Fire Pink)	5 00	
SILPHIUM terebinthinaceum (Prairie Dock). Large 1 00	5 00	
laciniatum (Compass Plant). Large 1 00	5 00	
SOLIDAGO odora (Sweet Goldenrod). Very desirable for	5 00	
open places, especially near the sea 1 00	5 00	
STREPTOPUS roseus (Twisted Stalk). Small rose flowers. 1 00		
MILATIONDITE	4 00	
dioicum. 1 to 2 ft., purple flowers; de-	3 00	
sirable	4 00	
cornuti (Tall Meadow Rue). 4 to 8 ft.;	4 00	
white flowers	4 00	
TIARELLA cordifolia. 6 in.; small white flowers 50	3 00	
TRADESCANTIA Virginica (Spiderwort). Flowers blue. 75	4 00	
TRILLIUM cernuum. Nodding white flowers; 1 ft 75	4 00	
grandiflorum. Pure white, flowering bulbs . 50	2 00	\$12 00
erectum. Dark purple flowers, fine bulbs 75	3 00	
erectum, var. album. Greenish white flowers. 75	3 00	
nivale. 4 to 12 in.; early; small white flowers. 1 00	4 00	
recurvatum. Leaves spotted, purple flowers. 1 00	4 00	
sessile. Flowers dark purple; desirable 1 00 sessile, var. Californicum. Large white flowers. 1 25	5 00	
stylosum. Rare, pink flowers. Coll 1 00	5 00	
erythrocarpum (Painted Trillium), Coll 1 00	4 00	
TROLLIUS laxus (Globe Flower). Large yellow flowers. 1 00		
UVULARIA grandiflora (Large Bellwort). Yellow flowers. 50	3 00	15 00
perfoliata. Smaller than the last 50	3 00	15 00
sessilifolia. Sessile leaves; pretty 50	3 00	15 00
VANCOUVERIA hexandra. Wheel shaped white flowers,		
1 ft.; a very desirable bedding plant. 50	3 00	
VERNONIA Noveboracensis (Iron Weed). 3 to 5 ft.; pur-		
ple flowers in small heads 75	4 00	
VIOLA Canadensis. White and purple flowers	4 00	
English Violet Czar. Hardy double; very sweet . 1 00		
California Violet I 00		
pubescens. Flowers yellow; dry soils. Coll 50	3 00	
rotundifolia. Flowers yellow; moist soils. Coll 75	4 00	
blanda (Sweet White Violet). Wet, open places. 75	4 00	
canina, var. sylvestris (Dog Violet). Blue. Coll. 50 pedata (Bird's Foot Violet). Large blue flowers;	2 00	10 00
delights in a sandy soil; clumps 1 00	4 00	
pedata, var. bicolor. Beautiful flowers 1 00	4 00	
VINCA minor (Common Periwinkle). Selected plants 50	2 00	10 00
minor, var. alba. Pure white flowers; fine 75	4 00	10 00
YUCCA filamentosa (Adam's Needle). Large plants 1 50	7 00	

BOG AND AQUATIC PLANTS

BOO HID ACOPTIC FLAIR	113		
ACORUS Calamus (Sweet Flag). 2 ft. Coll\$0	12	\$2 00	\$15 00
Calamus variegatus. Leaves striped with white.	25	<i>\$12.00</i>	#15 00
BRASENIA peltata. Small floating leaves; water. Coll.	75	3 00	15 00
			15 00
CALLA palustris (American Calla). Fine for bog	50	2 00	
CALTHA palustris. Large yellow flowers, bog or garden.	50	2 00	
DIONÆA muscipula (Venus' Fly Trap). Flowers white	00	4 00	
DROSERA filiformis (Thread-Leaved Sundew). Neat	50	3 00	
longifolia. Small white flowers; bog	50	3 00	
rotundifolia. Round leaves; bog	50	2 00	
HELONIAS bullata (Stud Flower). Beautiful pink flowers.	00	5 00	
LIMNANTHEMUM lacunosum (Floating Heart). Water.			
Coll	75	4 00	
MENYANTHES trifoliata (Buck Bean). Coll	50	3 00	15 00
NASTURTIUM officinale (True Water Cress). Coll	50	2 00	10 00
NESÆA verticillata. A fine water shrub. Coll	00	3 00	15 00
NUPHAR advena (Common Yellow Lily). Large roots.			
Coll.	00	5 00	
NYMPHÆA odorata (White Water Lily). Large roots.			
	00	5 00	30 00
odorata minor. Smaller flowers. Coll	00	5 00	
ORONTIUM aquaticum. Small plants, velvety leaves.			
Coll	75	4 00	
PELTANDRA Virginica (Water Arum). A fine water			
plant. Coll	00	5 00	
PONTEDERIA cordata. Spikes of blue flowers in water.			
Coll	00	5 00	
SARRACENIA purpurea (Pitcher Plant). Red flowers.			
Coll	75	3 00	14 00
flava (Trumpet Leaf). Flowers yellow;			
large plants	00	5 00	
Drummondii. Flowers purple; leaves 1			
to 2 ft	00	10 00	
Psittacina (Parrot-Beaked Pitcher Plant).			
Flowers purple	00	10 00	
rubra (Red-Flowered Trumpet Leaf). Fine			
clumps	50	6 00	
variolaris. Spotted-leaved; flowers yellow.		6 00	
TYPHA latifolia (Cat-Tail). 2 to 4 feet. Coll		4 00	
VACCINIUM macrocarpon (American Cranberry). Coll	25	1 50	5 00
Coll	43	1 20	2 00

SHRUBS DESIRABLE FOR THE BOG GARDEN

Andromeda polifolia. I ft.

Azalea viscosa. 4 to 10 ft.

Cassandra calyculata. I ft.

Cephalanthus occidentalis. 4 ft.

Ilex verticillata. 3 ft.

Kalmia angustifolia. I ft.

glauca. 2 ft.

Ledum latifolium. 2 ft.
Nemopanthes Canadensis. 4 ft.
Nesæa verticillata. 2 ft.
Pyrus arbutifolia. 5 ft.
Rhodora Canadensis. s ft.
Vaccinium stramineum. 3 ft.
corymbosum. 5 to 10 ft.

ORCHIDS

I offer in the following list of Orchids the greater share of the most desirable for cultivation found in the United States. Most of them are taken from their native habitat and transplanted into soil best adapted for their growth.

12	100 1,000
Aplectrum hyemale. Fine for moist shades \$1 00 \$5	00
Calopogon pulchellus. Desirable for the bog. Coll 50 3	00
Calypso borealis. Showy pink flowers; damp shades.	
	00
	00
	00
	00
	00
	00
	00
spectabile—	
	00
	00
	00
10 crowns or more, XXXeach 50	
	00
pubescens. Good stock. Coll 50 3	00 15 00
repens I oo	
Habenaria blepharioglottis (White-Fringed Orchid) 1 50 8	00
ciliaris. Beautifully fringed; yellow 1 00 5	00
dilatata. White 1 25 5	00
Hookeri. Flowers greenish 1 25 5	00
	00
psycodes. Purple fringed 1 25 6	00
tridentata 1 00	
Liparis liliifolia. 4 in. Purplish flowers; moist shades 75 4	00
Læselii. Flowers greenish yellow; wet soils 75 4	00
Listera convallarioides. Rare 1 00 4	00
	00
Orchis spectabilis (Showy Orchid). Pink-purple flowers 1 00 5	00
Pogonia ophioglossoides. A bog plant with pale rose	
flowers 75 4	00 15 00
	00
Romanzoviana 1 00	

Ferns

The Ferns of New England are among the most charming of our hardy perennials. They are so easily grown that every park or yard may have them. If you wish to beautify a dark nook shut in by buildings or trees where flowers will not thrive, try a few ferns, and note the change. You can select from my list of about 40 kinds those suited for almost any situation that will sustain plant life.

	12	2	100	1,000
Adiantum pedatum (Maidenhair). Graceful; clumps	\$0	75	\$4 00	\$25 00
Aspidium acrostichoides (Christmas Fern). Evergreen		50	3 00	15 00
aculatum, var. Braunii. Evergreen. 1 to 2 ft	I	25	6 00	
Boottii. Intermediate between A. cristatum				
and A. spinulosum	I	25	6 00	
cristatum. A low evergreen; moist shades		75	4 00	
cristatum, var. Clintonianum. Much larger	I	00	5 00	
Filix-mas (Male Fern). Beautiful and rare	I	25	7 00	
Goldianum. Broad, light green fronds. 2 to 4 ft.	I	25	7 00	

12	100	1,000
Aspidium marginale. Dark evergreen; rocky places\$0 75	\$3 00	\$15 00
munitum. An evergreen from Oregon 1 50	7 00	
Noveboracense. Moist, shady places 75	4 00	15 00
spinulosum. A finely cut evergreen	4 00	20 00
spinulosum, var. dilatatum. Broad fronds 1 25	7 00	
Thelypteris. Wet, open places. I ft 75	4 00	15 00
Asplenium angustifolium. Rich shades. I to 3 ft I oo	4 00	
ebeneum. Rocky places; dark stripes. 6 to		
12 in 50	3 00	15 00
Filix-fæmina. Fine tall fern; easily grown 75	4 00	15 00
Ruta-muraria. Limestone cliffs 1 25		
thelypteroides	4 00	
Trichomanes. Evergreen; in tufts. 3 to 6 in. 50	3 00	15 00
Botrychium ternatum dissectum. Fine cut leaves. Coll. 75	4 00	
ternatum obliquum. Oblique - Leaved. Coll. 75	4 00	
Virginicum. Light green; shades. 6 to 12 in. 75	4 00	
Camptosorus rhizophyllus (Walking Leaf). Fine 50	3 00	15 00
Cheilanthes vestata. Evergreen. South. 2 to 12 in 1 00	4 00	
Cryptogramma acrostichoides. Fine clumps. 4 to 8 in 1 25	5 00	
Cystopteris bulbifera. Bright green fern; moist soil 50	3 00	
fragilis. Finely cut fronds; rocks 50	3 00	15 00
Dicksonia punctilobula. Forms large patches; 2 to 3 ft 75	3 00	12 00
Lygodium palmatum (Climbing Fern). Climbing over		
bushes. I to 3 ft. Coll I 25	5 00	
Onoclea sensibilis (Sensitive Fern). Wet soils. 1 to 2 ft. 50	3 00	15 00
struthiopteris (Ostrich Fern). Fine. 1 to 6 ft 1 25	6 00	35 00
Ophioglossum vulgatum (Adder's Tongue). Coll 75	4 00	
Osmunda gracilis (Flowering Fern). Large plants. Coll. 1 25	6 00	
Claytoniana. Large clumps. 1 to 5 ft. Coll 1 25	6 00	
cinnamomea (Cinnamon Fern). 1 to 6 ft. Coll. 1 25	6 00	
Pellæa atropurpurea (Cliff Brake). Dry cliffs. Coll 1 00	5 00	
densa (Oregon Cliff Brake). Clumps. Coll 1 00 gracilis. Fine for rock garden. 2 to 6 in 1 00	5 00	
Di D D . D . C	5 00	
	4 00	
1 111 0 11 11 1 1 1 1	4 00	
Polypodium vulgare (Polypody). Evergreen, on rocks.	4 00	
	2 00	15 00
falcatum. From Oregon, graceful. 6 to	3 00	15 00
15 in	5 00	
Scolopendrium vulgare (Hart's Tongue). Very rare; clumps. 2 75	3 -0	
Woodsia Ilvensis. Dry, exposed rocks; clumps 1 00	5 00	
obtusa. Rocks, neat. 6 to 12 in	4 00	
Oregana. Oregon. 2 to 8 in I oo	5 00	
Woodwardia angustifolia (Chain Fern). Wet soils; fine	15	
plants 1 00	4 00	
Virginica. Wet soils. 2 to 3 ft. Coll 1 00	4 00	20 00
A STATE OF THE PARTY OF THE PAR		
CLUD HOSSES		
CLUB MOSSES		
Lycopodium dendroidum (Ground Pine). Used extensively	100	1,000
as Christmas green. 4 to 8 in. Coll\$1 25	\$6 00	
lucidulum (Shining Club Moss). 3 to 8 in.	# C CO	
Coll 75	3 00	15 00
Selaginella apus. Light green creeper; wet soils. Coll 50	3 00	15 00
rupestris. Little tufts, dry soils. 1 to 3 in.		
Coll 75	4 00	

SPECIAL COLLECTION OF FERNS

The following collection of Ferns are made up to help in selecting for special wants, and should go by express or freight.

No. 1.—(\$3.00) For Open Sun Culture.

This collection is desirable for the open border and, all being rather tall, can be grown as single specimens or for massing with or without flowers.

- 6 Onoclea struthiopteris, 6 Osmunda Claytoniana,
- 24 Dicksonia punctilobula, 6 Lygodium palmatum.

No. 2.—(\$3.00) For Dry, Shady Places.

These Ferns will grow in a dry, shady place. Plant them where flowers as a rule do not thrive.

- 12 Aspidium acrostichoides.
- 12 Dicksonia punctilobula,
- 12 Aspidium marginale,
- 12 Osmunda Claytoniana.

No. 3.—(\$3.00) For Moist, Shady Places.

This collection is very fine and easily handled in moist, shady places, also for large rockery.

- 6 Adiantum pedatum,
- 6 Aspidium cristatum,
- 6 Aspidium acrostichoides,
- 6 Aspidium spinulosum, 6 Aspidium marginale,
- 6 Asplenium thelypteroides, 6 Asplenium Filix-fæmina,
 - 6 Phegopteris hexagonoptera,
- 6 Woodwardia angustifolia.

No. 4.—(\$3.00) For Wet, Open Ground.

These Ferns are very useful for border of a lake or low, wet ground.

- 12 Aspidium Thelypteris,
- 12 Osmunda regalis,

- 12 Onoclea sensibilis,
- 12 Woodwardia Virginica.

No. 5.—(\$3.00) Low Evergreen 'Ferns for Rockery in Shade.

This is a beautiful collection of low-growing Ferns and easily managed.

- 12 Asplenium ebeneum, 12 Asplenium Trichomanes,
- 12 Polypodium vulgare, 6 Woodsia obtusa.
- 12 Comptosorus rhizophyllus,

No. 6.—(\$3.00) Low Evergreen Ferns for Dry, Rocky Ledge.,

- 12 Asplenium Trichomanes,
- 12 Polypodium vulgare,
- 12 Cheilanthes vestata,
- 12 Woodsia Ilvensis.

One-Half Any One of the Above Collections for \$1.75.

You will notice that some kinds are named in more than one collection. Such seem to thrive equally well in the localities named.

Address.

EDWARD GILLETT.

Southwick, Mass., U. S. A.